




GPRS GUARD TOUR SOLUTION 
PROFESSIONAL MANUFACTURER SINSE 2006 




- ① RFID Sensor ② LED Indicator ③ Label
- ④ SIM card socket ⑤ Switch & SOS button
- ⑥ Clip ⑦ Magnetic Pogo Pin USB port

Benefits



RFID Reading

Z-6700 is a RFID reader that uses low frequency to wirelessly read data at checkpoint. Checkpoint is the passive tags that use more than 20 years no need power supplied.



GPRS Real-time

Real-time data is delivered immediately after collection. There is no delay in the timeliness of the information provided, which can be improved work efficiency, reduced errors and lower costs



SOS Alert

Panic button exist is to protect people and property from harm. They can provide an instant alert to the monitoring company when the user feels they are in danger and need immediate emergency assistance.




Mini Size

A mini size that fits in an adult's hand, no more heavy sense even if hanging on the neck or clipping on the belt, still keeping comfortable experience.


Technical Parameters

Reading	125kHz EM ID Tag
Prompt	LED+Vibration
Communication	GPRS/Magnetic USB
SOS	Alert via panic button
Sim card	GPRS Micro-simcard
Storage	80,000 logs
Impact Record	32,000 logs
Material	ABS Plastic+rubber handle
Workable Temperature	-20°C to 70°C
Workable Humidity	30% to 95%
Battery	900mAh Built-in Li-ion rechargeable Battery
Power Consumption	60mA
IP Rating	IP 65
Dimension	82mm x 52mm x 22mm
Weight	73g


Working Map



Content



Charger



USB cable



Manual