




*Find Out Who Your Guard's Been Destroying Device!*

**RUGGED GUARD TOUR SOLUTION**   
PROFESSIONAL MANUFACTURER SINCE 2006



Z-6200C

- ① Sensor area
- ② LED indicator
- ③ Anti-slide area
- ④ Label Area
- ⑤ USB port

## Benefits



### RFID Reading

RFID reader does not need to touch the checkpoint, proximity sensor. Checkpoint can be installed in the wall. Waterproof and long-lasting.



### Impact Records

Impact record is a timing when employee sabotages the device, through this timing to ask for the accountability of maintenance and increase efficiency and at the patrolling work



### Real Time Extension Available


Use a internet station that helps those basic readers which does not have GPRS to transmit data in real time, via WiFi, GPRS, IP/TCP,USB cable and so on ways to upload data to cloud based software, can be saved the expensive cost.

## Technical Parameters


Model	Z-6200C
Reading distance	3cm
Reading technology	Read 125kHz EM(ID) tags proximity
Material	Aluminum alloy Work power consumption 30mA
Storage	80,000 pieces
Impact record	32,000 pieces
Workable temperature	degree Celsius -20 to 70
Workable humidity	30% to 90%
Communication	USB cable
Battery	3.7v built-in rechargeable li-ion battery
Prompt	LED +vibration
Standard accessories	Data cable, safety protective cover, charger plug, software
Baud rate	115200
Performance	IP 67, waterproof, shockproof
Dimension	130mm x 40mm x 25mm
Net weight	170g

\*Real-time solution for offline reader please reference to E-catalog of Z-9200 internet communication station


## Working Map




## Content



Charger




USB cable



Case



Software



Manual