ZOOY PATROL®

You Can Not Beat The Real Guard Tour System!

INTELLIGENT GPS GUARD TOUR SOLUTION
PROFESSIONAL MANUFACTURER SINCE 2006

**WWW.ZOOYPATROL.COM**

Key Features

- 125KHz RFID proximity reading
- Fingerprint recognition
- 3G real time transmission
- 3.5 inch touch screen
- Exception recorded by photo
- SOS alarming
- 10 sets limited dial out number
- Anti-vandal magnetic USB cable

125KHz RFID	Fingerprint Identify	3.5'' HD Screen	Phone calling	GPS Positioning	HD Camera	SOS Button	Item Programmed	Impact record

ZOOY Z-8000 is a real time guard tour system that adopts 125 KHz proximity reading technology, 3-5 cm read distance, 0.1s response time, auto scan by free pressing any button. It supports to live track and play-back guard's route history on Google map by GPS. With fingerprint recognition, the patrol handheld reader kills the fake guard during patrol. Photo offers more details to center in real time.

This series of patrol handheld reader can be widely used for employee control areas, like factory, railways, airports, ports, maintenance, security, cleaning, etc.

Layout

LED Indicator

Earphone/Speaker

Touch Screen

Power & Flashlight key

Microphone

Fingerprint Sensor

RFID Sensor

Camera/Flashlight

Label area

Magnetic USB port

SIM card tray

Specification

|		
Network supported bands	3G	WCDMA:850/900/1900/2100MHz
		CDMA:2000(BC0);TD-SCMA:1880/2010MHz
	2G	GSM: 850/900/1800/1900MHz
Reading information	RFID	EM-ID tag 125KHz
	QR-code	No, but for customize order
Memory	Storage	8G
	TF card	No support
Display	Size	3.5 inch touch screen
	Icon	3x3
GPS	GPS precision	50-100 meters
	Route play back	Yes
Wired communication	USB	Anti-vandal magnetic USB cable
Camera	Back	8 megapixels, auto focus
	Front	None
Indication	LED light	Blue light, red light
	Vibration	Yes
Fingerprint	Fingerprint	Semiconductor fingerprint identification
	Fingerprint capacitykey	Standard: 225 pcs
Battery	Capacity	3000mAh rechargeable li-ion battery
	Talk time	6-8 hours
	Working consumption	300mA
	Stand-by	10mA
	Charging time	3 hours(5V/2A)
Size	Dimension	138*66*20mm
	Weight	150g
Work environment	Humidity	30% to 95%
	Temperature	-20 to 70℃
Feature	Route navigation	Yes, checkpoint navigate on the map
	Data collection	Support to programmed DIY item
	Voice talking	can dial 10 phone numbers which preset in software
	Miss reminder	Screen reminds if staff is break the schedule
	IP rating	IP67
	SOS	Yes

Accessory

Included with reader



Charger   USB cable   Case   Manual

Optional

Checkpoint   Staff card   Cloud account

Working Map

GPS Satellite

Check Point

Z-8000

GPRS Network

Cloud Server

Headquarter

Branch Office

APP Inquiry

END

❯ Contact us

SHENZHEN ZOOY TECHNOLOGY DEVELOPMENT CO., LTD.

📍 Headquarters
Floor 2nd, Building 2, Huihuayuan Industrial Park, Longhua New district, Shenzhen
China

☎ +86-755-21634860

✉ info@zyactech.com

We build safety!